

STEEL STAR PICKETS WITH A MINIMUM HEIGHT OF 1.8m WITH HIGH VISIBILITY SAFETY CAPS SHALL BE INSTALLED BETWEEN THE TREATED PINE POSTS AT A MAXIMUM INTERVAL OF 3.0m

HIGH VISIBILITY HAZARD MARKER TAPE TO BE SECURELY FIXED TO THE TOP OF THE RING LOCK MESH WITH WIRE TIES

TPZ SIGNAGE TO BE ATTACHED TO THE FENCE AT REGULAR INTERVALS NO GREATER THAN 9.0m APART WITH WIRE TIES AT EACH CORNER.


90mm DIAMETER TREATED PINE CORNER POSTS WITH A MINIMUM HEIGHT OF 1.8m AT EVERY CORNER OR AT A MAXIMUM INTERVAL OF 9.0m

GALVANISED WIRE THREADED THROUGH THE RING LOCK METAL MESH WITH 30 x 4mm GALVANISED STEEL FENCING STAPLES FIXED TO TIMBER POSTS

8/115/30 GALVANISED RING LOCK METAL MESH

QUICK SPECIFICATION	
APPLICATION OR TYPICAL LOCATION:	ALL TREES BEING RETAINED WITHIN, OR IN CLOSE PROXIMITY TO, A CONSTRUCTION OR DEVELOPMENT SITE. AS DIRECTED BY THE COUNCIL REPRESENTATIVE.
PRODUCT:	CONTRACTOR TO NOMINATE
SUPPLIER:	CONTRACTOR TO NOMINATE
MATERIAL AND FINISH:	8/115/30 GALVANISED RING LOCK METAL MESH 1.8m STEEL STAR PICKETS WITH HIGH VISIBILITY SAFETY CAPS 90mm DIAMETER TREATED PINE POSTS
FIXING / FOOTING:	INGROUND (NO CONCRETE)
ADDITIONAL OPTIONS:	NOT APPLICABLE
AUSTRALIAN STANDARDS:	AS 4970 PROTECTION OF TREES ON DEVELOPMENT SITES
STANDARD DRAWING CROSS REFERENCES:	SDL.1.01 - TREE PROTECTION ZONE

01 TEMPORARY TREE PROTECTION FENCING - SECTION
SCALE: 1:100 @ A4




TEMPORARY FENCE OFFSET MIN. 300mm FROM EDGE OF TPZ AS DEFINED IN SR.1.01

TREATED PINE POST

STEEL STAR PICKET INTERMEDIATE POST

TPZ, REFER SR.1.01

TRUNK OF TREE



TREATED PINE POST

STEEL STAR PICKET INTERMEDIATE POST

TPZ, REFER SDL.1.01

TRUNK OF TREE

TEMPORARY FENCE OFFSET MIN. 300mm FROM EDGE OF TPZ AS DEFINED IN SDL.1.01

02 TREE PROTECTION FENCING - PLAN (MULTIPLE TREES)
SCALE: 1:200 @ A4

03 TREE PROTECTION FENCING - PLAN (SINGLE TREE)
SCALE: 1:200 @ A4



04 TREE PROTECTION ZONE SIGNAGE
SCALE: 1:200 @ A4

Drawn	HK
Checked	AC, AN
Approved	JG
Date	JUNE 2023



STANDARD DETAIL
LANDSCAPE CONSTRUCTION DETAIL
TPZ FENCE AND SIGN DETAIL

DWG NO.	SDL.1.02
REVISION_A	